


Jean Short Skirts - Harrison

Name	Jean Short Skirts - Harrison
Style No.	100150
Description	100% Cotton Heavy Weight Denim
Division	AM 475 - FA2022
Category	Unisex/Non-Gendered
Season	FA2022
Year	2022-2023
Size Scale	34 -Sample size
	30 32 34 36 38
Factory	To Be Determined
COO	Italy
Main Fabric	100% Balenciaga Stiff Cotton Denim
New/Carryover	New Style
Style Status	In Development
Sample Development Status	1st Sample
MSRP	79
Target Margin (%)	45
MOQ	3000/Style/Color
Leadtime	180 Days
AM 475 - Developer Name	Miles Harrison
Created by/Author	12/11/2022 Miles Harrison millas@colostate.edu



Jean Short Skirt BW Flat Final-1




Jean Short Skirt Flat color way 1-1

1. ● 7622 C Deep Maroon - Harrison
Custom Code: 7622 C Deep Maroon - Harrison




Jean Short Skirt Flat color way 3-1

2. ● Black C Charcoal - Harrison
Custom Code: Black C Charcoal - Harrison



Jean Short Skirt Flat color way 2-1


3. ● Process Blue C - Harrison
Custom Code: Process Blue C - Harrison



Jean Short Skirt BW Flat Final-1 (Copy)

Components (11)


- B1** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B2** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B3** YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison
- B4** Silver Shank Metal Button - Harrison
- B5** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B6** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B7** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B8** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B9** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B10** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B11** 1006 White 250M Guterman Natural Cotton Thread-Harrison



Construction Details (8)

- C1 1.5" buttonhole
- C2 LSk waistband
- C3 Waistband
- C4 1/8" 1 Needle Top Stitch
- C5 Double Needle Top Stitch
- C6 Double Needle Top Stitch
- C7 Applied Pocket with Bar Tacks
- C8 1/8" 1 Needle Top Stitch

Jean Short Skirt BW Flat Final-1 (Copy) (Copy)



Points of measure (18)

- D1 Waistband Depth
- D2 Waistband Width Circumference (woven)
- D3 High Hip Width Circumference (woven)
- D4 Low Hip Width Circumference from Waist (woven)
- D5 Bottom Opening/Sweep Width Circumference (woven skirt)
- D6 Center Front Skirt Length
- D7 Center Front Skirt/Pant
- D8 Side Skirt Length
- D9 Fly Zipper Length
- D10 Fly Zipper Width
- D11 Applied Pocket Width
- D12 Back Bottom Pocket Vertical
- D13 Back Bottom Pocket Horizontal
- D14 Belt Loop Placement- Front
- D15 Belt Loop Placement- Side Seam to Front
- D16 Belt Loop Placement- Back
- D17 Skirt/Pant Yoke Depth Back
- D18 yoke width

Jean Short Skirt BW Flat Final-1 (Copy) (Copy) (Copy)



Packaging Mockup-1




Photoshop Hang Tag mockup-1




Care Label-1




COMPONENT	QTY	PLACEMENT	STATUS	COO	1. 7622 C DEEP MAROON - HARRISON CODE: 7622 C DEEP MAROON - HARRISON	2. BLACK C CHARCOAL - HARRISON CODE: BLACK C CHARCOAL - HARRISON	3. PROCESS BLUE C - HARRISON CODE: PROCESS BLUE C - HARRISON
FABRICS							
1 Balenciaga Italian Black Stiff Cotton Denim - Harrison CODE: DnwaW Supplier: To Be Determined Content (Fiber Content): 100% Cotton Fabric Width: 60" Weight (GSM): 307 Dye Method: N/A AM 475 - Developer's Name: Miles Harrison	1.5 /yd		In Development	Italy	- 7622 C Deep Maroon - Harrison Custom Code: 7622 C Deep Maroon - Harrison Price: \$12.99	- Black C Charcoal - Harrison Custom Code: Black C Charcoal - Harrison Price: \$12.99	- Process Blue C - Harrison Custom Code: Process Blue C - Harrison Price: \$12.99
TRIMS							
2 1006 White 250M Guterman Natural Cotton Thread-Harrison CODE: WkivC	1 /Pieces				- 1006 White 250M Guterman Natural Cotton Thread-Harrison- WkivC n/a Price: \$4.79	- 1006 White 250M Guterman Natural Cotton Thread-Harrison- WkivC n/a Price: \$4.79	- 1006 White 250M Guterman Natural Cotton Thread-Harrison- WkivC n/a Price: \$4.79
3 Silver Shank Metal Button - Harrison CODE: 100250 Content (Fiber Content): Brass Weight (GSM): 0.634 AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development	China	- Silver Shank Metal Button - Harrison- 100250 n/a Price: \$0.15	- Silver Shank Metal Button - Harrison- 100250 n/a Price: \$0.15	- Silver Shank Metal Button - Harrison- 100250 n/a Price: \$0.15
4 YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison CODE: 101250 Content (Fiber Content): Copper Size: #5 AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development	China	- YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison- 101250 n/a Price: \$0.35	- YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison- 101250 n/a Price: \$0.35	- YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison- 101250 n/a Price: \$0.35
LABELS AND PACKAGING							
5 Hang Tag Vice Versa - Harrison CODE: TSwFI Supplier: To Be Determined Content (Fiber Content): Recycled Material Dye Method: N/A Size: 1" X 2" AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development		- 0000 DTM Custom Code: 0000DTM Price: \$0.15	- 0000 DTM Custom Code: 0000DTM Price: \$0.15	- 0000 DTM Custom Code: 0000DTM Price: \$0.15
6 Vice Versa Care Label - Harrison CODE: EIFeg Content (Fiber Content): 100% Recycled Cotton Dye Method: N/A Size: 1" X 2.5" AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development		- 0000 DTM Custom Code: 0000DTM Price: \$0.05	- 0000 DTM Custom Code: 0000DTM Price: \$0.05	- 0000 DTM Custom Code: 0000DTM Price: \$0.05
7 Vice Versa Packaging - Harrison CODE: jjjHg Supplier: To Be Determined Content (Fiber Content): Recycled Cardboard Size: 6 1/2" X 11" AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development		- 0000 DTM Custom Code: 0000DTM Price: \$0.30	- 0000 DTM Custom Code: 0000DTM Price: \$0.30	- 0000 DTM Custom Code: 0000DTM Price: \$0.30
Components 7					Total \$25.27	Total \$25.27	Total \$25.27




81.
Waistband Depth




83.
Waistband Width Circumference (Woven)



87.
High Hip Width Circumference (Woven)




102.
Side Skirt Length




120.

Fly Zipper Length



Fly Zipper Width



126.

Applied Pocket Width




148e.



149a.

Belt Loop Placement- Front



149b.

Belt Loop Placement- Back



148f.

Back Bottom Pocket Horizontal



149c.

Belt Loop Placement- Side Seam To Front



Skirt/Pant Yoke Depth Back



Sample Size: 34

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	30	32	34	36	38
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in	-1/8 in	-1/8 in	1 1/2 in	1/8 in	1/8 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	3/4 in	-3/4 in	-3/4 in	34 in	3/4 in	3/4 in
High Hip Width Circumference (woven)	87	Measure from edge of garment/ side seam to edge of garment/ side seam at a point 4" below bottom edge of waistband/ seam, following contour of waist. Reporting half of the circumference measurement. [Note: The 4" point is for misses/women's wear only; adjust as needed 1/2" to 1" up or down for children's, petite's, junior's, or large/plus sizes. Indicate change on spec sheet.]	false	Half	3/4 in	-3/4 in	-3/4 in	24 in	3/4 in	3/4 in
Low Hip Width Circumference from Waist (woven)	89	Measure from edge of garment/ side seam to edge of garment/ side seam at a point 7" below bottom of edge of waistband/seam following contour of waist. Reporting half of the circumference measurement.	true	Half	3/4 in	-3/4 in	-3/4 in	26 1/4 in	3/4 in	3/4 in
Bottom Opening/Sweep Width Circumference (woven skirt)	95	Measure from edge of garment/ side seam to edge of garment/ side seam straight across garment at bottom opening. Reporting half of the circumference measurement.	true	Half	3/4 in	-3/4 in	-3/4 in	28 1/2 in	3/4 in	3/4 in
Center Front Skirt Length	100	Measure from bottom of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) straight down to bottom of garment at center front. [Note: A fashion-forward skirt may have an asymmetrical waist. Indicate top point of measure on spec sheet.]	true	Full	3/4 in	-3/4 in	-3/4 in	22 in	3/4 in	3/4 in
Center Back Skirt Length	101	Measure from bottom of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) straight down to bottom of garment at center front. [Note: A fashion-forward skirt may have an asymmetrical waist. Indicate top point of measure on spec sheet.]	true	Full	3/4 in	-3/4 in	-3/4 in	23 1/2 in	3/4 in	3/4 in
Side Skirt Length	102	Measure from bottom edge of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) to bottom of garment along side seam/fold of garment, following any contour.	true	Full	3/4 in	-3/4 in	-3/4 in	21 5/8 in	3/4 in	3/4 in
Fly Zipper Length	121A	Measure from top of fly/zipper opening straight down to bottom of fly/zipper opening at zipper stop or bar tack.	true	Full	1/4 in	-1/4 in	-1/4 in	6 1/4 in	1/4 in	1/4 in



Fly Zipper Width	121B	Measure top of fly/zipper at joining seam from edge/fold straight across.	true	Full	1/8 in	-1/8 in	-1/8 in	1 1/2 in	1/8 in	1/8 in
Applied Pocket Width	126	Measure from side of pocket to side of pocket along top edge of pocket (Note: For contoured or irregularly shaped pockets, take a second measurement and indicate point of measure in spec sheet.)	true	Full	3/8 in	-3/8 in	-3/8 in	5 in	3/8 in	3/8 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	1/8 in	-1/8 in	-1/8 in	2 1/2 in	1/8 in	1/8 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	1/8 in	-1/8 in	-1/8 in	4 1/2 in	1/8 in	1/8 in
Belt Loop Placement- Front	149A	Measure from center front of garment horizontally across to center of first front belt loop.	false	Full	1/8 in	-1/8 in	-1/8 in	3 in	1/8 in	1/8 in
Belt Loop Placement- Back	149B	measure from center back of garment horizontally across to center of first back belt loop.	false	Full	1/8 in	-1/8 in	-1/8 in	7 in	1/8 in	1/8 in
Belt Loop Placement- Side Seam to Front	149C	Measure from center of side seam belt loop to center front of belt loop.	false	Full	1/8 in	-1/8 in	-1/8 in	1 1/2 in	1/8 in	1/8 in
Center Front Skirt/Pant	150F	Measure from center front of garment at waistband joining seam/edge straight across to top of dart.	false	Full	1/8 in	-1/8 in	-1/8 in	20 in	1/8 in	1/8 in
Skirt/Pant Yoke Depth Back	104	Measure from botton of waistband/seam, straight down to bottom of yoke joinging seam @ center back	false	Half	1/4 in	-1/4 in	-1/4 in	5 1/2 in	1/4 in	1/4 in
yoke width	bpJ6NW	Measure front yoke seam from edge of arm cuff horizontally to the edge of other cuff.	true	Full	1 in	-1 in	-1 in	9 in	1 in	1 in



Sample Size: 34

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	30	32	34	36	38
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in	1 1/4 in	1 3/8 in	1 1/2 in	1 5/8 in	1 3/4 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	3/4 in	32 1/2 in	33 1/4 in	34 in	34 3/4 in	35 1/2 in
High Hip Width Circumference (woven)	87	Measure from edge of garment/side seam to edge of garment/side seam at a point 4" below bottom edge of waistband/seam, following contour of waist. Reporting half of the circumference measurement. [Note: The 4" point is for misses/women's wear only; adjust as needed 1/2" to 1" up or down for children's, petite's, junior's, or large/plus sizes. Indicate change on spec sheet.]	false	Half	3/4 in	22 1/2 in	23 1/4 in	24 in	24 3/4 in	25 1/2 in
Low Hip Width Circumference from Waist (woven)	89	Measure from edge of garment/side seam to edge of garment/side seam at a point 7" below bottom of edge of waistband/seam following contour of waist. Reporting half of the circumference measurement.	true	Half	3/4 in	24 3/4 in	25 1/2 in	26 1/4 in	27 in	27 3/4 in
Bottom Opening/Sweep Width Circumference (woven skirt)	95	Measure from edge of garment/side seam to edge of garment/side seam straight across garment at bottom opening. Reporting half of the circumference measurement.	true	Half	3/4 in	27 in	27 3/4 in	28 1/2 in	29 1/4 in	30 in
Center Front Skirt Length	100	Measure from bottom of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) straight down to bottom of garment at center front. [Note: A fashion-forward skirt may have an asymmetrical waist. Indicate top point of measure on spec sheet.]	true	Full	3/4 in	20 1/2 in	21 1/4 in	22 in	22 3/4 in	23 1/2 in
Center Back Skirt Length	101	Measure from bottom of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) straight down to bottom of garment at center front. [Note: A fashion-forward skirt may have an asymmetrical waist. Indicate top point of measure on spec sheet.]	true	Full	3/4 in	22 in	22 3/4 in	23 1/2 in	24 1/4 in	25 in



Side Skirt Length	102	Measure from bottom edge of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) to bottom of garment along side seam/fold of garment, following any contour.	true	Full	3/4 in	20 1/8 in	20 7/8 in	21 5/8 in	22 3/8 in	23 1/8 in
Fly Zipper Length	121A	Measure from top of fly/zipper opening straight down to bottom of fly/zipper opening at zipper stop or bar tack.	true	Full	1/4 in	5 3/4 in	6 in	6 1/4 in	6 1/2 in	6 3/4 in
Fly Zipper Width	121B	Measure top of fly/zipper at joining seam from edge/fold straight across.	true	Full	1/8 in	1 1/4 in	1 3/8 in	1 1/2 in	1 5/8 in	1 3/4 in
Applied Pocket Width	126	Measure from side of pocket to side of pocket along top edge of pocket (Note: For contoured or irregularly shaped pockets, take a second measurement and indicate point of measure in spec sheet.)	true	Full	3/8 in	4 1/4 in	4 5/8 in	5 in	5 3/8 in	5 3/4 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	1/8 in	2 1/4 in	2 3/8 in	2 1/2 in	2 5/8 in	2 3/4 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	1/8 in	4 1/4 in	4 3/8 in	4 1/2 in	4 5/8 in	4 3/4 in
Belt Loop Placement- Front	149A	Measure from center front of garment horizontally across to center of first front belt loop.	false	Full	1/8 in	2 3/4 in	2 7/8 in	3 in	3 1/8 in	3 1/4 in
Belt Loop Placement- Back	149B	measure from center back of garment horizontally across to center of first back belt loop.	false	Full	1/8 in	6 3/4 in	6 7/8 in	7 in	7 1/8 in	7 1/4 in
Belt Loop Placement- Side Seam to Front	149C	Measure from center of side seam belt loop to center front of belt loop.	false	Full	1/8 in	1 1/4 in	1 3/8 in	1 1/2 in	1 5/8 in	1 3/4 in
Center Front Skirt/Pant	150F	Measure from center front of garment at waistband joining seam/edge straight across to top of dart.	false	Full	1/8 in	19 3/4 in	19 7/8 in	20 in	20 1/8 in	20 1/4 in
Skirt/Pant Yoke Depth Back	104	Measure from botton of waistband/seam, straight down to bottom of yoke joinging seam @ center back	false	Half	1/4 in	5 in	5 1/4 in	5 1/2 in	5 3/4 in	6 in
yoke width	bpJ6NW	Measure front yoke seam from edge of arm cuff horizontally to the edge of other cuff.	true	Full	1 in	7 in	8 in	9 in	10 in	11 in



Sample Size: 34

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	3/4 in
High Hip Width Circumference (woven)	87	Measure from edge of garment/ side seam to edge of garment/ side seam at a point 4" below bottom edge of waistband/ seam, following contour of waist. Reporting half of the circumference measurement. [Note: The 4" point is for misses/women's wear only; adjust as needed 1/2" to 1" up or down for children's, petite's, junior's, or large/plus sizes. Indicate change on spec sheet.]	false	Half	3/4 in
Low Hip Width Circumference from Waist (woven)	89	Measure from edge of garment/side seam to edge of garment/side seam at a point 7" below bottom of edge of waistband/seam following contour of waist. Reporting half of the circumference measurement.	true	Half	3/4 in
Bottom Opening/Sweep Width Circumference (woven skirt)	95	Measure from edge of garment/side seam to edge of garment/side seam straight across garment at bottom opening. Reporting half of the circumference measurement.	true	Half	3/4 in
Center Front Skirt Length	100	Measure from bottom of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) straight down to bottom of garment at center front. [Note: A fashion-forward skirt may have an asymmetrical waist. Indicate top point of measure on spec sheet.]	true	Full	3/4 in
Center Back Skirt Length	101	Measure from bottom of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) straight down to bottom of garment at center front. [Note: A fashion-forward skirt may have an asymmetrical waist. Indicate top point of measure on spec sheet.]	true	Full	3/4 in
Side Skirt Length	102	Measure from bottom edge of waistband/ seam (top edge if not banded, or stitching if self-elastic/ drawstring casing) to bottom of garment along side seam/fold of garment, following any contour.	true	Full	3/4 in
Fly Zipper Length	121A	Measure from top of fly/zipper opening straight down to bottom of fly/zipper opening at zipper stop or bar tack.	true	Full	1/4 in
Fly Zipper Width	121B	Measure top of fly/zipper at joining seam from edge/fold straight across.	true	Full	1/8 in
Applied Pocket Width	126	Measure from side of pocket to side of pocket along top edge of pocket (Note: For contoured or irregularly shaped pockets, take a second measurement and indicate point of measure in spec sheet.)	true	Full	3/8 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	1/8 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	1/8 in
Belt Loop Placement- Front	149A	Measure from center front of garment horizontally across to center of first front belt loop.	false	Full	1/8 in



Belt Loop Placement- Back	149B	measure from center back of garment horizontally across to center of first back belt loop.	false	Full	1/8 in
Belt Loop Placement- Side Seam to Front	149C	Measure from center of side seam belt loop to center front of belt loop.	false	Full	1/8 in
Center Front Skirt/Pant	150F	Measure from center front of garment at waistband joining seam/edge straight across to top of dart.	false	Full	1/8 in
Skirt/Pant Yoke Depth Back	104	Measure from bottom of waistband/seam, straight down to bottom of yoke joining seam @ center back	false	Half	1/4 in
yoke width	bpJ6NW	Measure front yoke seam from edge of arm cuff horizontally to the edge of other cuff.	true	Full	1 in