



Baggy Denim Jeans - Harrison

Name	Baggy Denim Jeans - Harrison
Style No.	100250
Description	100% Cotton Heavyweight Denim Jeans
Division	AM 475 - FA2022
Category	Unisex/Non-Gendered
Season	FA2022
Year	2022-2023
Size Scale	<b>36</b> -Sample size
	<span style="border: 1px solid #ccc; padding: 2px 5px;">30</span> <span style="border: 1px solid #ccc; padding: 2px 5px;">32</span> <span style="border: 1px solid #ccc; padding: 2px 5px;">34</span> <span style="border: 1px solid #ccc; padding: 2px 5px;">36</span> <span style="border: 1px solid #ccc; padding: 2px 5px;">38</span>
COO	Italy
Main Fabric	Balenciaga Stiff Cotton Denim
New/Carryover	New Style
Style Status	In Development
Sample Development Status	1st Sample
MSRP	135
Target Margin (%)	55
MOQ	3000/style/color
Leadtime	180 Days
AM 475 - Developer Name	Miles Harrison
Created by/Author	12/11/2022 Miles Harrison millas@colostate.edu




Baggy Denim Jeans for tech pack-1



Baggy Denim Color Way 2 Tech Pack-1


1. ● 7622 C Deep Maroon - Harrison

Custom Code: 7622 C Deep Maroon - Harrison




Baggy Denim Color Way 3 Tech Pack-1

2. ● Black C Charcoal - Harrison  
Custom Code: Black C Charcoal - Harrison



Baggy Denim Color Way 1 Tech Pack-1


3. ● Process Blue C - Harrison  
Custom Code: Process Blue C - Harrison



Baggy Denim Jeans for tech pack-1 (Copy)

**Components (11)**


- B1** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B2** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B3** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B4** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B5** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B6** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B7** Silver Shank Metal Button - Harrison
- B8** YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison
- B9** Balenciaga Italian Black Stiff Cotton Denim - Harrison
- B10** 1006 White 250M Guterman Natural Cotton Thread-Harrison
- B11** Balenciaga Italian Black Stiff Cotton Denim - Harrison



Baggy Denim Jeans for tech pack-1 (Copy) (Copy) (Copy)

**Construction Details (6)**

- C1** Double Needle Top Stitch
- C2** Applied Pocket with Bar Tacks
- C3** LSk waistband
- C4** 1.5" buttonhole
- C5** Double Needle Top Stitch
- C6** 1/4" 2 NDL TOP STITCH



Baggy Denim Jeans for tech pack-1 (Copy) (Copy)

**Points of measure (23)**

- D1** Waistband Depth
- D2** Waistband Width Circumference (woven)
- D3** Hip Seat Width Circumference (woven pant)
- D4** Inseam
- D5** Outseam
- D6** Front Rise
- D7** Back Rise
- D8** Thigh Width Circumference (woven)
- D9** Knee Width Circumference (Woven)
- D10** Leg Opening Width Circumference (Woven)
- D11** Cuff Height Pants
- D12** Fly Zipper Length
- D13** Fly Zipper Width
- D14** Applied Pocket Width
- D15** Pocket Opening Within a Seam
- D16** Belt Loop Length
- D17** Belt Loop Width
- D18** Back Bottom Pocket Vertical
- D19** Back Bottom Pocket Horizontal
- D20** Skirt/Pant Yoke Depth Back
- D21** yoke width
- D22** Back Bottom Pocket Horizontal
- D23** Back Bottom Pocket Vertical



Packaging Mockup-1




Photoshop Hang Tag mockup-1




Care Label-1




COMPONENT	QTY	PLACEMENT	STATUS	COO	1.  7622 C DEEP MAROON - HARRISON CODE: 7622 C DEEP MAROON - HARRISON	2.  BLACK C CHARCOAL - HARRISON CODE: BLACK C CHARCOAL - HARRISON	3.  PROCESS BLUE C - HARRISON CODE: PROCESS BLUE C - HARRISON
<b>FABRICS</b>							
1 <b>Balenciaga Italian Black Stiff Cotton Denim - Harrison</b> CODE: DnwaW Supplier: To Be Determined Content (Fiber Content): 100% Cotton Fabric Width: 60" Weight (GSM): 307 Dye Method: N/A AM 475 - Developer's Name: Miles Harrison	2.5 /yd		In Development	Italy	-  7622 C Deep Maroon - Harrison Custom Code: 7622 C Deep Maroon - Harrison Price: \$12.99	-  Black C Charcoal - Harrison Custom Code: Black C Charcoal - Harrison Price: \$12.99	-  Process Blue C - Harrison Custom Code: Process Blue C - Harrison Price: \$12.99
<b>TRIMS</b>							
2 <b>YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison</b> CODE: 101250 Content (Fiber Content): Copper Size: #5 AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development	China	-  YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison- 101250 n/a Price: \$0.35	-  YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison- 101250 n/a Price: \$0.35	-  YAB #5 Copper Swiss Teeth Platinum Metal Zipper - Harrison- 101250 n/a Price: \$0.35
3 <b>1006 White 250M Guterman Natural Cotton Thread-Harrison</b> CODE: WkivC	1 /Pieces				-  1006 White 250M Guterman Natural Cotton Thread-Harrison- WkivC n/a Price: \$4.79	-  1006 White 250M Guterman Natural Cotton Thread-Harrison- WkivC n/a Price: \$4.79	-  1006 White 250M Guterman Natural Cotton Thread-Harrison- WkivC n/a Price: \$4.79
4 <b>Silver Shank Metal Button - Harrison</b> CODE: 100250 Content (Fiber Content): Brass Weight (GSM): 0.634 AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development	China	-  Silver Shank Metal Button - Harrison- 100250 n/a Price: \$0.15	-  Silver Shank Metal Button - Harrison- 100250 n/a Price: \$0.15	-  Silver Shank Metal Button - Harrison- 100250 n/a Price: \$0.15
<b>LABELS AND PACKAGING</b>							
5 <b>Hang Tag Vice Versa - Harrison</b> CODE: TSwFI Supplier: To Be Determined Content (Fiber Content): Recycled Material Dye Method: N/A Size: 1" X 2" AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development		-  0000 DTM Custom Code: 0000DTM Price: \$0.15	-  0000 DTM Custom Code: 0000DTM Price: \$0.15	-  0000 DTM Custom Code: 0000DTM Price: \$0.15
6 <b>Vice Versa Care Label - Harrison</b> CODE: EIFeg Content (Fiber Content): 100% Recycled Cotton Dye Method: N/A Size: 1" X 2.5" AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development		-  0000 DTM Custom Code: 0000DTM Price: \$0.05	-  0000 DTM Custom Code: 0000DTM Price: \$0.05	-  0000 DTM Custom Code: 0000DTM Price: \$0.05
7 <b>Vice Versa Packaging - Harrison</b> CODE: jjjHg Supplier: To Be Determined Content (Fiber Content): Recycled Cardboard Size: 6 1/2" X 11" AM 475 - Developer's Name: Miles Harrison	1 /Pieces		In Development		-  0000 DTM Custom Code: 0000DTM Price: \$0.30	-  0000 DTM Custom Code: 0000DTM Price: \$0.30	-  0000 DTM Custom Code: 0000DTM Price: \$0.30
Components <b>7</b>					Total <b>\$38.26</b>	Total <b>\$38.26</b>	Total <b>\$38.26</b>



81.  
Waistband Depth




83.  
Waistband Width Circumference (Woven)




93.


Hip Seat Width Circumference (Woven Pant)




105.  
Inseam



106.  
Outseam




110.  
Thigh Width Circumference (Woven)




119.

Cuff Height Pants




120.

Fly Zipper Length




126.

Applied Pocket Width




127.

Pocket Opening Within A Seam



130.

Belt Loop Length



131.

Belt Loop Width



**148e.**

Back Bottom Pocket Vertical



**148f.**

Back Bottom Pocket Horizontal



**104.**

Skirt/Pant Yoke Depth Back



**148e.**

Back Bottom Pocket Vertical



**148f.**

Back Bottom Pocket Horizontal



## Sample Size: 36

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	30	32	34	36	38
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	0 in	0 in	0 in	0 in	1 1/2 in	0 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	1 in	-1 in	-1 in	-1 in	36 in	1 in
Hip Seat Width Circumference (woven pant)	93	Measure from edge of garment/side seam to edge of garment/side seam at a point up from crotch seam, following contour of waist. Reporting half of the circumference measurement.	true	Half	1 in	-1 in	-1 in	-1 in	43 1/2 in	0 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	3/8 in	-3/8 in	-3/8 in	-3/8 in	36 in	3/8 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	3/8 in	-3/8 in	-3/8 in	-3/8 in	41 1/2 in	3/8 in
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	3/8 in	-3/8 in	-3/8 in	-3/8 in	12 1/4 in	3/8 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	3/8 in	-3/8 in	-3/8 in	-3/8 in	14 1/4 in	3/8 in
Thigh Width Circumference (woven)	110	Measure from pant leg edge/seam to pant leg edge/seam straight across pant leg @ 1" below crotch and parallel to leg opening. Reporting half of the circumference measurement.	false	Half	1/2 in	-1/2 in	-1/2 in	-1/2 in	28 in	1/2 in
Knee Width Circumference (Woven)	112	Measure from pant leg edge/seam to pant leg edge/seam at a point one-half of inseam and parallel to leg opening. Reporting half of the circumference measurement. (Note 1: If leg opening is asymmetrical, measure to a point that would be parallel to leg opening. Note 2: If pant leg is three-quarter length, indicate point of measure on spec sheet. Note 3: A general knee measurement from crotch seam of misses/women's 14", juniors 13", or large/plus women's sized 15" can be used. Indicate change on spec sheet. Measure children's at one-half inseam minus 1 1/2", and for men's minus 2")	true	Half	3/8 in	-3/8 in	-3/8 in	-3/8 in	26 1/2 in	3/8 in
Leg Opening Width Circumference (Woven)	114	Measure from pant leg edge/seam to pant edge/seam straight across bottom edge of leg opening. Reporting half of the circumference measurement. (Note: If leg opening is contoured, follow contour and indicate measurement change on spec sheet).	true	Half	1/4 in	-1/4 in	-1/4 in	-1/4 in	18 in	1/4 in
Cuff Height Pants	119	Measure from top of cuff edge straight down to bottom of cuff fold fold and leg opening.	true	Half	0 in	0 in	0 in	0 in	1/2 in	0 in



Fly Zipper Length	121A	Measure from top of fly/zipper opening straight down to bottom of fly/zipper opening at zipper stop or bar tack.	true	Full	0 in	0 in	0 in	0 in	6 1/4 in	0 in
Fly Zipper Width	121B	Measure top of fly/zipper at joining seam from edge/fold straight across.	true	Full	0 in	0 in	0 in	0 in	1 1/2 in	0 in
Applied Pocket Width	126	Measure from side of pocket to side of pocket along top edge of pocket (Note: For contoured or irregularly shaped pockets, take a second measurement and indicate point of measure in spec sheet.)	true	Full	0 in	0 in	0 in	0 in	5 in	0 in
Pocket Opening Within a Seam	127	Measure from top of pocket to bottom along edge of pocket opening	true	Full	0 in	0 in	0 in	0 in	6 5/8 in	0 in
Belt Loop Length	130	Measure from top of belt loop straight down/vertically to bottom of belt loop along center of belt loop. (Note: Fashion-forward or irregularly shaped belt loops may require further spec instructions. Indicate points of measure on spec sheet.)	true	Full	0 in	0 in	0 in	0 in	3 5/8 in	0 in
Belt Loop Width	131	Measure belt loop from edge of belt loop straight across / horizontally to edge of belt loop. (Note: Fashion-forward or irregularly shaped belt loops may require further spec instructions. Indicate point of measure on spec sheet.)	true	Full	0 in	0 in	0 in	0 in	5/8 in	0 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	0 in	0 in	0 in	0 in	6 1/2 in	0 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	0 in	0 in	0 in	0 in	4 1/2 in	0 in
Skirt/Pant Yoke Depth Back	104	Measure from bottom of waistband/seam, straight down to bottom of yoke joining seam @ center back	false	Half	1/4 in	-1/4 in	-1/4 in	-1/4 in	8 1/2 in	1/4 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	0 in	0 in	0 in	0 in	2 3/4 in	0 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	0 in	0 in	0 in	0 in	4 1/2 in	0 in



## Sample Size: 36

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	30	32	34	36	38
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	0 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	1 in	33 in	34 in	35 in	36 in	37 in
Hip Seat Width Circumference (woven pant)	93	Measure from edge of garment/side seam to edge of garment/side seam at a point up from crotch seam, following contour of waist. Reporting half of the circumference measurement.	true	Half	1 in	40 1/2 in	41 1/2 in	42 1/2 in	43 1/2 in	43 1/2 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	3/8 in	34 7/8 in	35 1/4 in	35 5/8 in	36 in	36 3/8 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	3/8 in	40 3/8 in	40 3/4 in	41 1/8 in	41 1/2 in	41 7/8 in
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	3/8 in	11 1/8 in	11 1/2 in	11 7/8 in	12 1/4 in	12 5/8 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	3/8 in	13 1/8 in	13 1/2 in	13 7/8 in	14 1/4 in	14 5/8 in
Thigh Width Circumference (woven)	110	Measure from pant leg edge/seam to pant leg edge/seam straight across pant leg @ 1" below crotch and parallel to leg opening. Reporting half of the circumference measurement.	false	Half	1/2 in	26 1/2 in	27 in	27 1/2 in	28 in	28 1/2 in
Knee Width Circumference (Woven)	112	Measure from pant leg edge/seam to pant leg edge/seam at a point one-half of inseam and parallel to leg opening. Reporting half of the circumference measurement. (Note 1: If leg opening is asymmetrical, measure to a point that would be parallel to leg opening. Note 2: If pant leg is three-quarter length, indicate point of measure on spec sheet. Note 3: A general knee measurement from crotch seam of misses/women's 14", juniors 13", or large/plus women's sized 15" can be used. Indicate change on spec sheet. Measure children's at one-half inseam minus 1 1/2", and for men's minus 2")	true	Half	3/8 in	25 3/8 in	25 3/4 in	26 1/8 in	26 1/2 in	26 7/8 in
Leg Opening Width Circumference (Woven)	114	Measure from pant leg edge/seam to pant edge/seam straight across bottom edge of leg opening. Reporting half of the circumference measurement. (Note: If leg opening is contoured, follow contour and indicate measurement change on spec sheet).	true	Half	1/4 in	17 1/4 in	17 1/2 in	17 3/4 in	18 in	18 1/4 in



Cuff Height Pants	119	Measure from top of cuff edge straight down to bottom of cuff fold fold and leg opening.	true	Half	0 in	1/2 in					
Fly Zipper Length	121A	Measure from top of fly/zipper opening straight down to bottom of fly/zipper opening at zipper stop or bar tack.	true	Full	0 in	6 1/4 in	6 1/4 in	6 1/4 in	6 1/4 in	6 1/4 in	6 1/4 in
Fly Zipper Width	121B	Measure top of fly/zipper at joining seam from edge/fold straight across.	true	Full	0 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in
Applied Pocket Width	126	Measure from side of pocket to side of pocket along top edge of pocket (Note: For contoured or irregularly shaped pockets, take a second measurement and indicate point of measure in spec sheet.)	true	Full	0 in	5 in	5 in	5 in	5 in	5 in	5 in
Pocket Opening Within a Seam	127	Measure from top of pocket to bottom along edge of pocket opening	true	Full	0 in	6 5/8 in	6 5/8 in	6 5/8 in	6 5/8 in	6 5/8 in	6 5/8 in
Belt Loop Length	130	Measure from top of belt loop straight down/vertically to bottom of belt loop along center of belt loop. (Note: Fashion-forward or irregularly shaped belt loops may require further spec instructions. Indicate points of measure on spec sheet.)	true	Full	0 in	3 5/8 in	3 5/8 in	3 5/8 in	3 5/8 in	3 5/8 in	3 5/8 in
Belt Loop Width	131	Measure belt loop from edge of belt loop straight across / horizontally to edge of belt loop. (Note: Fashion-forward or irregularly shaped belt loops may require further spec instructions. Indicate point of measure on spec sheet.)	true	Full	0 in	5/8 in					
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	0 in	6 1/2 in	6 1/2 in	6 1/2 in	6 1/2 in	6 1/2 in	6 1/2 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	0 in	4 1/2 in	4 1/2 in	4 1/2 in	4 1/2 in	4 1/2 in	4 1/2 in
Skirt/Pant Yoke Depth Back	104	Measure from bottom of waistband/seam, straight down to bottom of yoke joining seam @ center back	false	Half	1/4 in	7 3/4 in	8 in	8 1/4 in	8 1/2 in	8 3/4 in	
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	0 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	0 in	4 1/2 in	4 1/2 in	4 1/2 in	4 1/2 in	4 1/2 in	4 1/2 in



## Sample Size: 36

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	0 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	1 in
Hip Seat Width Circumference (woven pant)	93	Measure from edge of garment/side seam to edge of garment/side seam at point up from crotch seam, following contour of waist. Reporting half of the circumference measurement.	true	Half	1 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	3/8 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	3/8 in
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	3/8 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	3/8 in
Thigh Width Circumference (woven)	110	Measure from pant leg edge/seam to pant leg edge/seam straight across pant leg @ 1" below crotch and parallel to leg opening. Reporting half of the circumference measurement.	false	Half	1/2 in
Knee Width Circumference (Woven)	112	Measure from pant leg edge/seam to pant leg edge/seam at a point one-half of inseam and parallel to leg opening. Reporting half of the circumference measurement. (Note 1: If leg opening is asymmetrical, measure to a point that would be parallel to leg opening. Note 2: If pant leg is three-quarter length, indicate point of measure on spec sheet. Note 3: A general knee measurement from crotch seam of misses/women's 14", juniors 13", or large/plus women's sized 15" can be used. Indicate change on spec sheet. Measure children's at one-half inseam minus 1 1/2", and for men's minus 2")	true	Half	3/8 in
Leg Opening Width Circumference (Woven)	114	Measure from pant leg edge/seam to pant edge/seam straight across bottom edge of leg opening. Reporting half of the circumference measurement. (Note: If leg opening is contoured, follow contour and indicate measurement change on spec sheet).	true	Half	1/4 in
Cuff Height Pants	119	Measure from top of cuff edge straight down to bottom of cuff fold fold and leg opening.	true	Half	0 in
Fly Zipper Length	121A	Measure from top of fly/zipper opening straight down to bottom of fly/zipper opening at zipper stop or bar tack.	true	Full	0 in
Fly Zipper Width	121B	Measure top of fly/zipper at joining seam from edge/fold straight across.	true	Full	0 in
Applied Pocket Width	126	Measure from side of pocket to side of pocket along top edge of pocket (Note: For contoured or irregularly shaped pockets, take a second measurement and indicate point of measure in spec sheet.)	true	Full	0 in
Pocket Opening Within a Seam	127	Measure from top of pocket to bottom along edge of pocket opening	true	Full	0 in
Belt Loop Length	130	Measure from top of belt loop straight down/vertically to bottom of belt loop along center of belt loop. (Note: Fashion-forward or irregularly shaped belt loops may require further spec instructions. Indicate points of measure on spec sheet.)	true	Full	0 in



Belt Loop Width	131	Measure belt loop from edge of belt loop straight across / horizontally to edge of belt loop. (Note: Fashion-forward or irregularly shaped belt loops may require further spec instructions. Indicate point of measure on spec sheet.)	true	Full	0 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	0 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	0 in
Skirt/Pant Yoke Depth Back	104	Measure from bottom of waistband/seam, straight down to bottom of yoke joinging seam @ center back	false	Half	1/4 in
Back Bottom Pocket Vertical	148E	Measure from waistband/joining seam/edge straight down to top edge of pocket.	false	Full	0 in
Back Bottom Pocket Horizontal	148F	Measure from center back straight across to side pocket at top edge.	false	Full	0 in